Declaration of performance

DoP-no. 342/CPR/2018-04-09

Unique identification code of the product type: IC Sliding door (48/48) – Outward opening sliding door



Manufacturer:
Idealcombi A/S,
Noerre Allé 51, 7760 Hurup Thy
Denmark
Phone no. +45 96 88 25 00
Fax no. +45 97 95 14 09
E-mail: info@idealcombi.dk

Authorised representative: n/a

System of AVCP: System 3

Harmonised standard: EN 14351-1:2006 + A2:2016

Windows and doors - Product standard, performance characteristics - Part 1: Windows and external pedestrian doorsets

Notified body: Danish Technological Institute, NB-no. 1235

Appropriate Technical Documentation and/or Specific Technical Documentation: n/a

The performance of the product identified above is in conformity with the set of declared performance/s.

This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Hurup, 2018-04-09	Technical Director Mikael Søgaard



Declaration of performance DoP-no. 342/CPR/2018-04-09

DoP-no. 342/CPR/2018-04-09 IC Sliding door (48/48) – Outward opening sliding door



Declared performance:

		Resistance to	Watertightness -	Dangerous	Load-bearing capacity	Height	Acoustic	Thermal	Radiation properties		Air
		wind load	Non-shielded (A)	substances	of safety devices		performance	transmittance,	Solar	Light	permeability
					(reversible window)			U [W/m²K]	factor, g	transmittance, $ au_{\scriptscriptstyle V}$	
Sliding door	Performance	npd	npd	None	-	npd	npd	0,91	0,62	0,75	npd
Outward opening	Test size [mm]							2500 x 2180			
sliding door with 2 no.	Notified body							no. 1235			
std. glazing	Test report no.							0108/803935			