

Declaration of performance

DoP-no. 337/CPR/2019-02-01

Unique identification code of the product type:
FUTURA+ 30 – Outward opening terrace doors

Intended use:

Domestic and commercial locations

Manufacturer:

Idealcombi A/S,
Noerre Allé 51, 7760 Hurup Thy
Denmark

Phone no. +45 96 88 25 00

Fax no. +45 97 95 14 09

E-mail: info@idealcombi.dk

Authorised representative:

n/a

System of AVCP:

System 3

Harmonised standard:

EN 14351-1:2006 + A2:2016

Windows and doors – Product standard, performance characteristics - Part 1: Windows and external pedestrian doorsets

Notified body:

Danish Technological Institute, NB-no. 1235

Appropriate Technical Documentation and/or Specific Technical Documentation:

n/a

The performance of the product identified above is in conformity with the set of declared performance/s.

This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Hurup, 2019-02-01

Technical Director Mikael Søgaard



Declaration of performance
DoP-no. 337/CPR/2019-02-01
FUTURA+ 30 – Outward opening terrace doors



Declared performance:

		Resistance to wind load	Watertightness - Non-shielded (A)	Dangerous substances	Load-bearing capacity of safety devices (reversible window)	Height	Acoustic performance	Thermal transmittance, U_D [W/m ² K]	Radiation properties		Air permeability
									Solar factor, g	Light transmittance, τ_v	
Terrace door Outward opening terrace door with 50 mm threshold with std. glazing	Performance	C4	E1500	None	-	npd	npd	1,31	0,73	0,82	4
	Test size [mm]	1150x2400	1150x2400					1230 x 2180			1150x2400
	Notified body	no. 1235	no. 1235					no. 1235			no. 1235
	Test report no.	1321521	1321521					0108/737572			1321521
Terrace door Outward opening terrace door with 15 mm threshold with std. glazing	Performance	npd	npd	None	-	npd	npd	1,31	0,73	0,82	npd
	Test size [mm]							1230 x 2180			
	Notified body							no. 1235			
	Test report no.							0108/737572			
Double Terrace door Outward opening double terrace door with 50 mm threshold with std. glazing	Performance	npd	npd	None	-	npd	npd	1,31	0,73	0,82	npd
	Test size [mm]							1230 x 2180			
	Notified body							no. 1235			
	Test report no.							0108/737572			
Double Terrace door Outward opening double terrace door with 15 mm threshold with std. glazing	Performance	npd	npd	None	-	npd	npd	1,31	0,73	0,82	npd
	Test size [mm]							1230 x 2180			
	Notified body							no. 1235			
	Test report no.							0108/737572			