

Declaration of performance

DoP-no. 339/CPR/2019-03-11

Unique identification code of the product type:
FUTURA+ 30 – Outward opening sliding doors

Intended use:

Domestic and commercial locations

Manufacturer:

Idealcombi A/S,
Noerre Allé 51, 7760 Hurup Thy
Denmark

Phone no. +45 96 88 25 00

Fax no. +45 97 95 14 09

E-mail: info@idealcombi.dk

Authorised representative:

n/a

System of AVCP:

System 3

Harmonised standard:

EN 14351-1:2006 + A2:2016

Windows and doors – Product standard, performance characteristics - Part 1: Windows and external pedestrian doorsets

Notified body:

Danish Technological Institute, NB-no. 1235

Appropriate Technical Documentation and/or Specific Technical Documentation:

n/a

The performance of the product identified above is in conformity with the set of declared performance/s.

This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Hurup, 2019-03-11

Technical Director Mikael Søgaard



Declaration of performance
DoP-no. 339/CPR/2019-03-11
FUTURA+ 30 – Outward opening sliding doors



Declared performance:

		Resistance to wind load	Watertightness - Non-shielded (A)	Dangerous substances	Load-bearing capacity of safety devices (reversible window)	Height	Acoustic performance	Thermal transmittance, U _D [W/m ² K]	Radiation properties		Air permeability
									Solar factor, g	Light transmittance, τ _v	
Sliding door Outward opening sliding door with 70 mm threshold with 2 no. std. glazing	Performance	npd	E1500	None	-	npd	npd	1,36	0,73	0,82	npd
	Test size [mm]		3000 x 2400					2500 x 2180			
	Notified body		no. 1235					no. 1235			
	Test report no.		1325558					0108/737572			
Double Sliding door Outward opening double sliding door with 70 mm threshold with 4 no. std. glazing	Performance	npd	npd	None	-	npd	npd	1,36	0,73	0,82	npd
	Test size [mm]							2500 x 2180			
	Notified body							no. 1235			
	Test report no.							0108/737572			
Sliding door with low threshold Outward opening sliding door with low threshold with 2 no. std. glazing	Performance	npd	E1650	None	-	npd	npd	1,13	0,73/0,62*	0,82/0,75*	npd
	Test size [mm]		2780 x 2118					2500 x 2180			
	Notified body		no. 1235					no. 1235			
	Test report no.		0301/578149					0108/737572			

*44 mm glazing - fixed part